L Number	Hits	Search Text	DB	Time stamp
41	0	(358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:31
		(color\$1 same spool\$3).ab. and @ad<19991102 and @pd>20030317		
42	1	399/81-89.ccls. and ((edit\$3 or layout)	USPAT;	2004/08/20 18:31
•	_	same ((print near (queue or job)))) and	US-PGPUB	
-		@ad<19991102 and @pd>20030317		
43	0	345/700.ccls. and ((edit\$3 or layout) same	USPAT;	2004/08/20 17:49
		((print near (queue or job)))) and	US-PGPUB	
		@ad<19991102 and @pd>20030317		0004/00/00 45
44	0	399/81-89.ccls. and ((edit\$3) same	USPAT;	2004/08/20 17:49
		((queue))) and @ad<19991102 and @pd>20030317	US-PGPUB	
45	0	345/700.ccls. and ((edit\$3) same	USPAT;	2004/08/20 17:49
45	O	((queue))) and @ad<19991102 and	US-PGPUB	2004/00/20 17:45
		@pd>20030317	00 20202	
46	0	345/700.ccls. and ((edit\$3) same	USPAT;	2004/08/20 18:31
		((queue))) and @ad<19991102 and	US-PGPUB	
		@pd>20030317		
48	0	399/81-89.ccls. and ((edit\$3) same	USPAT;	2004/08/20 17:50
		((queue))) and @ad<19991102 and	US-PGPUB	
		@pd>20030317		0004/00/00 10 00
49	0	345/700.ccls. and ((edit\$3) same	USPAT; US-PGPUB	2004/08/20 18:32
		((queue))) and @ad<19991102 and @pd>20030317	US-PGPUB	
50	0	345/700.ccls. and ((edit\$3) same	USPAT	2004/08/20 17:50
30	O	((spool\$3))) and @ad<19991102 and	001711	2004/00/20 17.30
		@pd>20030317		
51	50	(print near server) with manag\$5 and	USPAT;	2004/08/20 17:53
		@ad<19991102 and @pd>20030317	US-PGPUB	
52	0	399/81-89.ccls. and ((edit\$3 or layout)	USPAT;	2004/08/20 17:54
		near ((print near (queue or job)))) and	US-PGPUB	
	_	@ad<19991102 and @pd>20030317		0004/00/00 45 54
53	0	399/81-89.ccls. and ((edit\$3 or layout)	USPAT;	2004/08/20 17:54
		near ((print near (queue or job)))) and	US-PGPUB	
55	1	@ad<19991102 and @pd>20030317 (358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:32
73	7	(interface same spool\$3).ab. and	USIAI	2004/00/20 10:32
		@ad<19991102 and @pd>20030317	1	
56	5	(358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:32
		(edit\$3 same spool\$3) and @ad<19991102 and		
		@pd>20030317		
57	0	(358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 17:56
		(edit\$3 near spool\$3) and @ad<19991102 and		
50	7	(pd>20030317	USPAT	2004/08/20 18:08
58	/	(((358/1.15.ccls. or 399/81.ccls.) and (print near server) with manag\$5 and	USPAI	2004/06/20 18:06
		(resolution or pixle or color or		
		monochrome or quality)) not canon.as.) and		
		print\$3.ab. and @ad<19991102 and		
		@pd>20030317		
59	7	((358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:17
		(print near server) with manag\$5 and		
		(resolution or pixle or color or		
		monochrome or quality)) not canon.as. and		
60	12	@ad<19991102 and @pd>20030317 ((358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:34
60	12	(print near server) with manag\$5 and	USEAL	2004/08/20 18:34
		(resolution or pixle or color or		
		monochrome or quality)) not		·
		(((358/1.15.ccls. or 399/81.ccls.) and		
		((print\$3 with manag\$5) and unix and		
		spool) and ((line near printer) or lpd)		
		and (resolution or pixle or color or		
		monochrome or quality)) and		
		((358/1.15.ccls. or 399/81.ccls.) and		
		(print\$3 with manag\$5) and unix and spool and (resolution or pixle or color or		
		LANG TROPOLUTION OF DIVIA OF COLOT OF		
		monochrome or quality)) and		

ñ - 4

62	2	(358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:34
		(resolution or pixle or color or		
		monochrome or quality) and ((print\$3 with job) and (spool)).ab. and @ad<19991102 and		
		[epd>20030317]		
63	2	(358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 17:59
		((print\$3 with job) and (spool)).ab. and @ad<19991102 and @pd>20030317		
64	148	(358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 17:59
		(resolution or pixle or color or		
		monochrome or quality) and @ad<19991102 and @pd>20030317		
65	15	(358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:00
		(print near server) with manag\$5 and		
		(resolution or pixle or color or monochrome or quality) and @ad<19991102		
		and @pd>20030317		
66	0	((358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:00
		(print\$3 with manag\$5) and unix and spool and (resolution or pixle or color or	ļ	
		monochrome or quality)) not		
		((358/1.15.ccls. or 399/81.ccls.) and		
		((print\$3 with manag\$5) and unix and spool) and ((line near printer) or lpd)		
		and (resolution or pixle or color or		
		monochrome or quality)) and @ad<19991102		
67	0	and @pd>20030317 ((358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:00
		(print\$3 with manag\$5) and unix and spool		
		and (resolution or pixle or color or		·
		monochrome or quality)) not ((358/1.15.ccls. or 399/81.ccls.) and		
		((print\$3 with manag\$5) and unix and		
		spool) and ((line near printer) or lpd) and (resolution or pixle or color or		
		monochrome or quality)) and @ad<19991102		
		and @pd>20030317		0004/00/00 10 25
68	1	(358/1.15.ccls. or 399/81.ccls.) and (print\$3 with manag\$5) and unix and spool	USPAT	2004/08/20 18:35
		and (resolution or pixle or color or		
		monochrome or quality) and @ad<19991102		
69	1	and @pd>20030317 (358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:01
	_	((print\$3 with manag\$5) and unix and		
		spool) and ((line near printer) or lpd) and (resolution or pixle or color or		
		monochrome or quality) and @ad<19991102		
		and @pd>20030317	Haban	2004/00/00 10:01
70	14	(358/1.15.ccls. or 399/81.ccls.) and GDI and @ad<19991102 and @pd>20030317	USPAT	2004/08/20 18:01
71	11	(358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:02
		(((print near server) with manag\$5) not		
		canon.as.) not (((print near server) near manag\$5) not canon.as.) and @ad<19991102		
1		and @pd>20030317		
72	2	(358/1.15.ccls. or 399/81.ccls.) and ((print near server) near manag\$5) not	USPAT	2004/08/20 18:02
		canon.as. and @ad<19991102 and		
		@pd>20030317		0004/00/00 10 00
73	19	(358/1.15.ccls. or 399/81.ccls.) and (print near server) with manag\$5 and	USPAT	2004/08/20 18:03
		@ad<19991102 and @pd>20030317		
74	5	(358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:03
		(((print near server) with manag\$5) not canon.as.) and spool and @ad<19991102 and		
		@pd>20030317		
75	3	(358/1.15.ccls. or 399/81.ccls.) and (print\$3 with manag\$5) and unix and spool	USPAT	2004/08/20 18:04
		and @ad<19991102 and @pd>20030317		

76	2	(358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:36
		((print\$3 with manag\$5) and unix and		
		spool) and ((line near printer) or lpd)		1
		and @ad<19991102 and @pd>20030317		
77	- 5	(358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:36
		((((print near server) with manag\$5) not		
		canon.as.) and spool) not accenture.as.		
		and @ad<19991102 and @pd>20030317		0004/00/00 10 00
78	7	((((358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:08
		(print near server) with manag\$5 and		
		(resolution or pixle or color or		
		monochrome or quality)) not canon.as.) and		
		print\$3.ab. and @ad<19991102 and		
	,	@pd>20030317) not ((358/1.15.ccls. or		
		399/81.ccls.) and (edit\$3 same spool\$3)		
	_	and @ad<19991102 and @pd>20030317)	HCDAD	2004/08/20 18:11
79	5	(358/1.15.ccls. or 399/81.ccls.) and	USPAT	2004/08/20 18:11
		((print\$3 with job) and (spool or		
		queue)).ab. and @ad<19991102 and		
		@pd>20030317	USPAT	2004/08/20 18:33
80	0		USPAI	2004/08/20 18:33
		spool\$3).ab. and @ad<19991102 and		
0.1	0	@pd>20030317	HCDAT.	2004/08/20 18:33
81	0	715/527.ccls. and ((edit\$3 or layout) same ((print near (queue or job)))) and	USPAT; US-PGPUB	2004/08/20 18:33
			US-EGEOB	
	0	@ad<19991102 and @pd>20030317 (715/527.ccls.) and (interface same	USPAT	2004/08/20 18:32
82	"	spool\$3).ab. and @ad<19991102 and	USFAI	2004/00/20 10:32
		opd>20030317		
83	1		USPAT	2004/08/20 18:32
03	1	and @ad<19991102 (((((345/784).CCLS. OR	ODIAI	2004/00/20 10:32
1'		(345/785).CCLS. OR (345/786).CCLS. OR		
		(345.684).CCLS. OR (345/688).CCLS. OR		
		(345/689).CCLS. OR (345/338).CCLS. OR		
		(345/818).CCLS. OR (345/859).CCLS. OR		
		(345/817).CCLS. OR (345/688).CCLS. OR		
1		(345/772).CCLS. OR (345/817).CCLS. OR		
		(345/818).CCLS.) AND ((GET\$3 OR LOCAT\$3 OR		
	i	RETRIEV\$3) NEAR TEXT))) NOT		
		((((345/784).CCLS. OR (345/785).CCLS. OR		
		(345/786).CCLS. OR (345.684).CCLS. OR		
		(345/688).CCLS. OR (345/689).CCLS. OR		
	1	(345/338).CCLS. OR (345/818).CCLS. OR		
		(345/859).CCLS. OR (345/817).CCLS. OR		
		(345/688).CCLS. OR (345/772).CCLS. OR		
		(345/817).CCLS. OR (345/818).CCLS.) AND		
		((FIND\$3 OR SEARCH\$3) NEAR TEXT))) AND		
		@PD>20030317)		
84	0	(715/527.ccls.) and (interface same	USPAT	2004/08/20 18:32
		spool\$3).ab. and @ad<19991102		
85	2		USPAT;	2004/08/20 18:33
		((print near (queue or job)))) and	US-PGPUB	
		@ad<19991102		000.45-4
86	0		USPAT	2004/08/20 18:33
		spool\$3).ab. and @ad<19991102		0004/00/00
87	0		USPAT	2004/08/20 18:34
		with manag\$5 and (resolution or pixle or		
		color or monochrome or quality)) not		
		((((print\$3 with manag\$5) and unix and	1	
		spool) and ((line near printer) or lpd)		
		and (resolution or pixle or color or	1	
		monochrome or quality)) and ((print\$3 with		
		manag\$5) and unix and spool and		
		(resolution or pixle or color or		
		monochrome or quality)) and (((print\$3		
		with job) and (spool)).ab.)) and	1	
1		@ad<19991102 and @pd>20030317	L	

88	0 1	((715/527.ccls.) and (print near server)	USPAT	2004/08/20 18:3	34
	•	with manag\$5 and (resolution or pixle or			
		color or monochrome or quality)) not			- 1
		((((print\$3 with manag\$5) and unix and			1
		spool) and ((line near printer) or lpd)			- 1
i		and (resolution or pixle or color or			1
1		monochrome or quality)) and ((print\$3 with			ŀ
		manag\$5) and unix and spool and			ľ
İ	1	(resolution or pixle or color or			
		monochrome or quality)) and (((print\$3			
		with job) and (spool)).ab.)) and			
		@ad<19991102			.
89	0	(715/527.ccls) and (resolution or pixle	USPAT	2004/08/20 18:3	34
		or color or monochrome or quality) and			l
•	İ	((print\$3 with job) and (spool)).ab. and	!		
		@ad<19991102 and @pd>20030317			_
90	0		USPAT	2004/08/20 18:3	35
		and unix and spool and (resolution or			
		pixle or color or monochrome or quality)]
		and @ad<19991102		0004/00/00 10	26
91	0	(715/527.ccls.) and ((print\$3 with	USPAT	2004/08/20 18:3	36
		manag\$5) and unix and spool) and ((line			ļ
		near printer) or lpd) and @ad<19991102 and			
		@pd>20030317		0004/00/00 10	22
92	0	(715/527.ccls.) and ((((print near server)	USPAT	2004/08/20 18:	3/
		with manag\$5) not canon.as.) and spool)			-
1		not accenture.as. and @ad<19991102 and			ŀ
		@pd>20030317		0004/00/00 10-	27
93	0		USPAT	2004/08/20 18:	31
		with manag\$5) not canon.as.) and spool\$3)			
		not accenture.as. and @ad<19991102 and			
1		@pd>20030317			